

Age ▶ Vaccine	Birth	2 month	4 month	6 month	9 month	12 month	15 month	18 month	2 year	4 - 6 year	11 - 18 year
Tetanus											Tdap Given at 11-12 years Catch-up if not done already Five year interval from last Td
Diphtheria, Tetanus, Pertussis – DTaP		Pediarix	Pediarix	Pediarix			DTaP			DTaP	
Inactivated Poliovirus		Pediarix	Pediarix	Pediarix						IPV	
Hepatitis B	Hep B	Pediarix	Pediarix	Pediarix							
Haemophilus Influenza B		Hib	Hib	Hib		Hib					
Pneumococcal		PCV13	PCV13	PCV13		PCV13	<i>PCV13 if patient has had only PCV7 in past</i>				
										<i>PPSV23 for High Risk Groups</i>	
Rotavirus		Rota	Rota	Rota							
Hepatitis A						Hep A		Hep A	<i>Catch up if not done</i>		
Measles, Mumps, Rubella							MMR			MMR	
Varicella							Var			Var	<i>Second dose catch up</i>
Influenza				Yearly from 6 months and older; 2 shots in first season if under age 9 and no prior influenza vaccine							
Human Papilloma Virus											HPV x 3
Meningitis											MCV4 Given at 11-12 years Booster dose five years later Unless first dose at age 16 or after